

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47


www.aptiv.nt-rt.ru | | avi@nt-rt.ru

Технические характеристики на пластиковые заглушки КОМПАНИИ **ARTIV PLC**

Part Number: 35228087

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Max. operating temperature
+140°C


Color
YELLOW

Min. operating temperature
-40°C

Part Number: 15489185

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
1.8

Max. operating temperature
+140°C

Color
RED

Part Number: 15404841

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2.4

Max. operating temperature
+140°C

Color
RED

Part Number: 15356825

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
1.8

Max. operating temperature
+140°C

Color
BLUE

Part Number: 15318164

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
1.9


Max. operating temperature
+140°C

Color
BLUE

Part Number: 15316894

Hole Plug

Ordering samples is temporarily unavailable for this item



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2.7

Max. operating temperature
+140°C

Color
GRAY

Part Number: 13826722

Hole Plug



Attributes


Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
3.3

Max. operating temperature
+140°C


Color
BLUE



Part Number: 13806076

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2.7

Max. operating temperature
+140°C

Color
GREEN

Part Number: 13770939

Hole Plug



Attributes

Type
PLASTIC PLUG


Max. operating temperature
+140°C

Color
NATURAL

Min. operating temperature
-40°C

Part Number: 13768626

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2.05

Max. operating temperature
+140°C

Color
WHITE

Part Number: 13765188

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
2.45

Max. operating temperature
+140°C

Color
GRAY

Part Number: 13756465

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
3.8

Max. operating temperature
+140°C

Color
GRAY

Part Number: 13756464

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
2.7


Max. operating temperature
+140°C

Color
BLACK

Part Number: 13726494

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Max. operating temperature
+140°C


Color
YELLOW

Min. operating temperature
-40°C

Part Number: 13651156

Hole Plug

This part is not currently offered in our sample program.



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2

Max. operating temperature
+140°C

Color
WHITE

Part Number: 13629105

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
2.05

Max. operating temperature
+140°C

Color
WHITE

Part Number: 13613164

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
1.5

Max. operating temperature
+140°C

Color
NATURAL

Part Number: 13544665

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C


Outer Diameter (mm)
1.9

Max. operating temperature
+140°C

Color
BLUE

Part Number: 13510403

Hole Plug



Attributes

Type
PLASTIC PLUG


Max. operating temperature
+140°C

Color
NATURAL

Min. operating temperature
-40°C

Part Number: 12129557

Hole Plug



Attributes

Type
PLASTIC PLUG

Min. operating temperature
-40°C

Outer Diameter (mm)
1.9

Max. operating temperature
+140°C

Color
BLUE

Hole Plug



Attributes

Type PLASTIC PLUG	Min. operating temperature -40°C
Outer Diameter (mm) 2.5	Max. operating temperature +140°C
Color GRAY	

Part Number: 12034413

Hole Plug



Attributes

Type PLASTIC PLUG	Min. operating temperature -40°C
Outer Diameter (mm) 2.5	Max. operating temperature +140°C
Color BLACK	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Казахстан +7(7172)727-132

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Киргизия +996(312)96-26-47

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

www.aptiv.nt-rt.ru | | avi@nt-rt.ru